## South Florida Water Management District

PO Box 24680, West Palm Beach, FL 33416-4680 permits@sfwmd.gov

## NOTICE OF RECEIPT OF PERMIT APPLICATION

The SFWMD is pleased to provide Notice of Receipt of Permit Application for the following project(s), processed between 01-NOV-2004 and 07-NOV-2004, from your expressed area of interest. No further notice will be provided. If you wish to be kept informed of further proceedings or notified of intended agency action, please contact this office at 561-682-6736, or via email at permits@sfwmd.gov.

The information is available in electronic format and can be assessed on our website. Visit us at <a href="www.sfwmd.gov">www.sfwmd.gov</a> and select **Permitting, Application and Permit Information Database**. Please contact this office if you no longer require a hardcopy so that your name can be removed from our mailing list.

**COUNTY: PALM BEACH** 

Appl No: 041101-16 Permit#: 50-00281-S Received Date: 01-NOV-2004 Issuing Office: Palm Beach Status: Initial Review

PermitType: Environmental Resource (General Permit Modification) Project Acres: 4051

Project Name: Palm Beach Aggregates Limestone/Sand Facility Receiving Body Onsite Agricultural Fields

Location: Palm Beach S13/T43/R39 Landuse(s): Mining ENV Reviewer: Luis Colon (561)682-6721

S17-20,27-30,32-33-34/T43/R40 SWM Reviewer: Gregory Coffelt

Applicant: Palm Beach Aggregates Inc Enrique Tomeu Po Box 700 Loxahatchee FL 33470

Engr Consultant: Macvicar Federico & Lamb Inc William Baker 4524 Gun Club Rd Ste 201 West Palm Beach FL 33415

30-Day Deadline: 01-DEC-2004 Default Date: 31-DEC-2004

Appl No: 041101-10 Permit#: 50-00802-S Received Date: 01-NOV-2004 Issuing Office: Palm Beach Status: Initial Review

PermitType: Surface Water Management (Compliance Letter Mod) Project Acres: 1.26

Project Name: Spanish River High School Auditorium Addition Receiving Body Lwdd L-41 Canal

Location: Palm Beach S3/T47/R42 Landuse(s): Institutional ENV Reviewer: Barbara Conmy (561)682-6937

**SWM Reviewer:** Carlos Derojas (561)682-6505

Applicant: Palm Beach County School Board 3323 Belvedere Rd West Palm Beach FL 33409 Engr Consultant: Civil Design Inc Jeff Trompeter Pe 6380 Sandy Hill Way Lake Worth FL 33463

30-Day Deadline: 01-DEC-2004 Default Date: 31-DEC-2004

Appl No: 041104-13 Permit#: 50-01445-S Received Date: 04-NOV-2004 Issuing Office: Palm Beach Status: Initial Review

PermitType: Surface Water Management (General Permit Modification) Project Acres: 2.48

Project Name: Centrepark Lot 2 North Receiving Body Existing System

Location: Palm Beach S29/T43/R43 Landuse(s): Office Building SWM Reviewer: Roberto Lazo (561)682-2734

Applicant: Centrepark Investment Corporation Frank Navarro 1475 Centrepark Blvd Ste 100 West Palm Beach FL 33401

Engr Consultant: Simmons & White Inc Gregory F Bolen Pe 5601 Corporate Way Ste 200 West Palm Beach FL 33407

30-Day Deadline: 04-DEC-2004 Default Date: 03-JAN-2005

Appl No: 041101-5 Permit#: 50-01445-S Received Date: 01-NOV-2004 Issuing Office: Palm Beach Status: No Response

PermitType: Surface Water Management (Permit Transfer) Project Acres: 1.4

Project Name: Centrepark Lot 5 North Receiving Body

Location: Palm Beach S28,29/T43/R43 Landuse(s): Commercial SWM Reviewer: John Pfaff (561)682-6741

**Agent:** Simmons & White Inc Raudel Pola 5601 Corporate Way #200 West Palm Beach FL 33407 **Applicant:** Centrepark Five Ltd Frank Navarro 1475 Centrepark Blvd #100 West Palm Beach FL 33401

RAI Letter Sent: 05-NOV-2004

Appl No: 041105-6 Permit#: 50-01819-S-03 Received Date: 05-NOV-2004 Issuing Office: Palm Beach Status: Initial Review

PermitType: Surface Water Management (General Permit Modification) Project Acres: 4.71
Project Name: Sea Plum Town Center Receiving Body Botanica Water Management System

Location: Palm Beach S13/T41/R42 Landuse(s): Commercial SWM Reviewer: Carlos Derojas (561)682-6505

Applicant: Monroe'S Prestige Group Inc Ira S Waltz 1803 Briar Creeek Blvd Safety Harbor FL 34695

Engr Consultant: East Bay Group Llc Richard V Reikenis 400 Clematis Street Suite 209 West Palm Beach FL 33401

30-Day Deadline: 05-DEC-2004 Default Date: 04-JAN-2005

Appl No: 041105-2 Permit#: 50-02231-S Received Date: 05-NOV-2004 Issuing Office: Palm Beach Status: Initial Review

PermitType: Environmental Resource (Compliance Letter Mod) Project Acres: 2.4

Project Name: Jupiter Community Park Receiving Body Loxahatchee River

Location: Palm Beach S33/T40/R42 Landuse(s): Recreational SWM Reviewer: Hugo Carter (561)682-2710

Applicant: Jupiter Town Of 210 Military Tr Jupiter FL 33458

Engr Consultant: Schaefer Fagan & Cooper Engineers Inc Jeffrey R Bergmann Pe 631 Us Highway 1 Ste 400 North Palm Beach FL 33408

30-Day Deadline: 05-DEC-2004 Default Date: 04-JAN-2005

Appl No: 041029-12 Permit#: 50-02564-S Received Date: 29-OCT-2004 Issuing Office: Palm Beach Status: Initial Review

PermitType: Surface Water Management (General Permit Modification) Project Acres: 60

Project Name: District Park 'F' Receiving Body Cypress Grove Cdd Canal

Location: Palm Beach S27/T42/R40 Landuse(s): Recreational ENV Reviewer: Luis Colon (561)682-6721

**SWM Reviewer:** Gregory Coffelt

Applicant: Palm Beach County Capital Improvement Division John Chesher Pe 3323 Belvedere Road Bldg 503 West Palm Beach FL 33406 Engr Consultant: Craven Thompson & Associates Inc Julia M Lacy Pe 5114 Okeechobee Blvd Suite 112 West Palm Beach FL 33417

30-Day Deadline: 28-NOV-2004 Default Date: 28-DEC-2004

Appl No: 041103-1 Permit#: 50-03651-P Received Date: 03-NOV-2004 Issuing Office: Palm Beach Status: Initial Review

PermitType: Environmental Resource (Compliance Letter Mod) Project Acres: 2.2

Project Name: Abacoa Sales Trailer Receiving Body Existing System

Location: Palm Beach S14/T41/R42 Landuse(s): Commercial ENV Reviewer: Luis Colon (561)682-6721

SWM Reviewer: Rosalyn Ellington (561)682-6918

Applicant: Abacoa Homes Inc 4500 Pga Blvd Ste 400 Palm Beach Gardens FL 33418

Engr Consultant: Arcadis Lnw Kimberly A Leser Pe 420 Columbia Dr Ste 110 West Palm Beach FL 33409

**30-Day Deadline:** 03-DEC-2004 **Default Date:** 02-JAN-2005

Appl No: 041029-13 Permit#: 50-06690-W Received Date: 29-OCT-2004 Approved Date: 12-NOV-2004 Issuing Office: Palm Beach Status: Complete

PermitType: New Water Use (General Permit < 3 Mgm) Expiration Date: 12-NOV-2024 Project Acres: .67

Project Name: Winchester Shops Water Source: Surficial Aquifer System

Location: Palm Beach S30/T45/R43 Landuse(s): Landscape WU Reviewer: Stephanie Newell (561)682-2911

Applicant: Boynton Beach Llc C/O Welsman 2101 Corporate Blvd Suite 300 Boca Raton FL 33431

Engr Consultant: Kimley Horn And Associates Inc James G Vitter Ii 601 21st Suite 400 Vero Beach FL 32960

30-Day Deadline: 28-NOV-2004 Default Date: 28-DEC-2004

Appl No: 041105-5 Received Date: 05-NOV-2004 Issuing Office: Palm Beach Status: Initial Review

PermitType: New Water Use (General Permit < 3 Mgm) Project Acres: 1.65
Project Name: Sea Plum Town Center Water Source: Surficial Aquifer

Location: Palm Beach S13/T41/R42 Landuse(s): Landscape WU Reviewer: Kevin Rohrer (561)682-6812

Agent: East Bay Group Ltd Kevin Krut 400 Clematis St Suite 209 West Palm Beach FL 33401

Applicant: Mpg Jupiter Ltd 1803 Briar Creek Blvd Safety Harbor FL 34695

**30-Day Deadline:** 05-DEC-2004 **Default Date:** 04-JAN-2005

Appl No: 041105-9 Received Date: 05-NOV-2004 Issuing Office: Palm Beach Status: Initial Review PermitType: Environmental Resource (New General Permit) Expiration Date: 10-MAR-2004 Project Acres: 11.1 Project Name: Jog Road (West Atlantic Avenue To North Oriole Boulevard) Receiving Body Lwdd L-33 Canal Location: Palm Beach S15/T46/R42 Landuse(s): Highway SWM Reviewer: Carlos Derojas (561)682-6505

Applicant: Palm Beach County Board Of County Commissioners Omelio A Fernandez Pe Po Box 21229 West Palm Beach FL 33416

Engr Consultant: K-F Group Inc Hian C Kor Pe 2324 S Congress Ave Ste 2e West Palm Beach FL 33406

**30-Day Deadline:** 05-DEC-2004 **Default Date:** 04-JAN-2005

Appl No: 041104-3 Received Date: 04-NOV-2004 Issuing Office: Palm Beach Status: Initial Review

PermitType: Environmental Resource (New General Permit) Project Acres: 7.3

Project Name: Waterside Receiving Body Intracoastal Basin

Location: Palm Beach S4/T46/R43 Landuse(s): Residential ENV Reviewer: Barbara Conmy (561)682-6937

**SWM Reviewer:** Carlos Derojas (561)682-6505

Applicant: Southern Homes Of Palm Beach Llc 12900 Southwest 128th Street Miami FL 33186

Engr Consultant: Keith & Ballbe Inc Antonio Quevedo Pe 2201 West Prospect Road Suite 100 Fort Lauderdale FL 33309

**30-Day Deadline:** 04-DEC-2004 **Default Date:** 03-JAN-2005

Appl No: 041103-3 Received Date: 03-NOV-2004 Issuing Office: Palm Beach Status: Initial Review

**PermitType:** New Water Use (General Permit < 3 Mgm) **Project Acres:** .62

Project Name: Jupiter Toll Plaza Water Source: Onsite Lake

Location: Palm Beach S4/T41/R42 WU Reviewer: Nikki Carlson (561)682-2911

Applicant: Florida Department Of Transportation Raymond A Ashe Environmental Management Office Po Box 613069 Ocoee FL 34761

Engr Consultant: Cotleur & Hearing Inc Robert J Cotleur 1934 Commerce Lane Suite 1 Jupiter FL 33458

30-Day Deadline: 03-DEC-2004 Default Date: 02-JAN-2005

Appl No: 041103-4 Received Date: 03-NOV-2004 Issuing Office: Palm Beach Status: Initial Review

PermitType: New Water Use (General Permit) Project Acres: 1
Project Name: Seacoast Utility Authority Water Source: Onsite

Location: Palm Beach S34/T41/R42 Landuse(s): Dewatering WU Reviewer: Saleh Popalzai (561)682-6931

Agent: Wharton-Smith Inc 3547 Sw Corporate Parkway Palm City FL 34990

Applicant: Seacoast Utility Authority Reclaimed Water Faciti Keith Hass 4200 Hood Rd Palm Beach Gardens FL 33410

**30-Day Deadline:** 03-DEC-2004 **Default Date:** 02-JAN-2005

Appl No: 041102-5 Received Date: 02-NOV-2004 Issuing Office: Palm Beach Status: Initial Review

PermitType: Environmental Resource (New General Permit) Project Acres: 10.8

Project Name: Saddle Ranch Estates Receiving Body C-51 Canal

Location: Palm Beach S34/T43/R41 Landuse(s): Residential ENV Reviewer: John Meyer (561)682-6773 SWM Reviewer: Roberto Lazo (561)682-2734

Applicant: Nc Schaffer Of Florida Inc Claudette Schaffer 9590 Lantern Way West Palm Beach FL 33411

Engr Consultant: Envirodesign Associates Inc Joseph A Pike 298 Pineapple Grove Way Delray Beach FL 33444

30-Day Deadline: 02-DEC-2004 Default Date: 01-JAN-2005

Appl No: 041101-11 Received Date: 01-NOV-2004 Issuing Office: Palm Beach Status: Initial Review

PermitType: Environmental Resource (No Notice General Permit) Project Acres: 2.46

Project Name: Baron Signs Receiving Body Existing Drainage System

Location: Palm Beach S29/T42/R43 Landuse(s): Commercial SWM Reviewer: Hugo Carter (561)682-2710

Applicant: Sws Engineers Inc Steve Weiss 536 Juniper Place Wellington FL 33414

30-Day Deadline: 01-DEC-2004 Default Date: 31-DEC-2004

Appl No: 041101-4 Received Date: 01-NOV-2004 Issuing Office: Palm Beach Status: Initial Review

PermitType: New Water Use (General Permit < 3 Mgm) Project Acres: 10.41

Project Name: Ballenisles Water Source: Onsite Lake

**Location:** Palm Beach S14/T42/R42 **Landuse(s):** Landscape **WU Reviewer:** Jennifer Phillips (561)682-2036 **Applicant:** Ballenisles Community Association Inc 205 Ballenisles Circle Palm Beach Gardens FL 33418

Engr Consultant: Keshavarz And Associates Inc Robert L Canterbury Pe 711 N Dixie Hwy Ste 201 West Palm Beach FL 33411

30-Day Deadline: 01-DEC-2004 Default Date: 31-DEC-2004

Appl No: 041029-8 Received Date: 29-OCT-2004 Issuing Office: Palm Beach Status: Initial Review

PermitType: Environmental Resource (Conceptual Approval) Project Acres: 30.7

Project Name: Briella Pud Receiving Body Lwdd L-25 Canal

**Location:** Palm Beach S28/T45/R42 **Landuse(s):** Residential **ENV Reviewer:** Barbara Conmy (561)682-6937

**SWM Reviewer:** Marwan Fakhoury (561)682-6868

Applicant: Briella Townhomes Llc Michael Morton 15340 Jog Rd Ste 200 Delray Beach FL 33484

Engr Consultant: Civil Design Inc Thomas J Trompeter Pe 6380 Snady Hill Way Lake Worth FL 33463

**30-Day Deadline:** 28-NOV-2004 **Default Date:** 27-JAN-2005 **Board Date:** 12-JAN-2005